



D600

(MRO2008-600G)



5合1滤芯



600G大通量



5秒轻松换芯



Smart

Smart滤芯智能系统



一级水效



水质清晰可见



Midea



智能产品




- All in one filter(RO system)
- DIY Easy Filter replacement from front panel ,No need to move the machine.
- 600GPD provides up to 1.5L/min high flowrate,Direct flow without pressure tank.
- Integrated water-route system
- Intelligent digital display faucet , Water quality is clearly visible.
- Waste water ratio is 1.5:1
- Filter replacement reminder

- Super slim design will be very convenient for your daily life,
- especially for a small kitchen ,
- it can save a lot of space.
- Direct flow without pressure tank.



- 600GPD provides up to 1.5L/min high flowrate.
- One glass in 8 seconds, drink water without waiting.

8s =  200ml



Intelligent display of TDs values:

- When the faucet is turned on, it will show the TDS of raw water;
- 2 seconds later, it will show the TDS of pure water.



- Intelligent Filter replacement reminder.



*水龙头外圈灯环会随着滤芯使用寿命逐渐熄灭，属于正常现象，请及时更换滤芯。

- Intelligent digital display faucet ,
Water quality is clearly visible.

IPX7 Waterproof grade



Easy change in 5 seconds



- 1、 Remove the cover plate.
- 2、 Lift the filter fixed support and put forward the filter.
- 3、 Put on a new filter and cover it with the cover plate.



打开盖板




抬起压杆，提出滤芯



换上新滤芯，盖上盖板

DIY Easy Filter replacement from front panel ,No need to move the machine.





PP

Carbon
fiber

High
precision
PP

RO


Carbon
block

5in1 Filter


- Reduce the normal dust, particulates, sediment, rust, sand.
- Reduce the Odor, Chlorine, organism, smaller particulates.
- Reduce Bacteria, Viruses, Heavy mental, Macromolecular organics.
- Provide great taste water.

Integrated water-route system

Integrated water-route system reduce 80% connectors, natural and safe. prevent water Leakage for your house.



VS



- D600 has only **7 connectors**, more stable.

- Normal one, more than 30 connectors, inserted by hand, **30 possibilities** of leakage !

Specification

MRO2008-600G

Water Purifier	Model model	MRO2008-600G
General Information	Color	wooden
	Power Supply Voltage & Frequency (V/Hz)	100-240V 50/60Hz
	Power Consumption	80W
	Purification Capacity (L/min)	1.5L/min
	Total Water Tank Capacity (1t)	Direct flow
	Water Leakage Protection	/
Filter Information	ALL IN ONE filter	12 months
Applicable Range	Pouvoir Hydrogène--PH	6.5~8.5
	Applicable Environment	4~38℃
	Applicable Water Pressure	40~80Psi
	Feed Water Temperature	5~45℃
Applicable Feed Water GB5749-2006	Municipal water	

Purification Performance	particular removable	0.0001μm
	Smell/Taste	NO Smell & Taste
	Visible object	No Visible object to naked eyes
	Chlorine Reduction	≥90%
	Colon Bacillus	≥99.99%
	Lead、Virus and so on	removable
Packaging information	Product Dimensions (mm)	402*152*304mm
	Packing Dimensions (mm)	505*250*495mm
	N.W.(kg)	/
	G.W.(kg)	/
Loading Capacity	Container Loading Qty. (20'GP/40'GP/40'HQ)	
Certificate	Appliance Certificates	/